Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2	(authoriz$5) with (reduc$3 or shorten$3) near2 (power or (cover$3 with area$2) or distance) same (transmit$4 or receiv$3 or reception) and @ad<"20000804"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 16:22
L2	2	"20020016153".pn. and coverage	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 18:11
L3	44	(713/176.ccls. or 455/410.ccls. or 455/411.ccls. or 455/435.1.ccls.) and @ad<"20000804" and @pd>"20050110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 18:11
L4	44	L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 18:11
L5	24	l4 and @pd>"20050511"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 18:11
S1	1181	713/176.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:06
S2	535	S1 and @ad<"20000804"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:15
S3	60	radio and mutual adj authentication and @ad<"20000804"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 09:44

S4	683	(radio or device or mobile) same authenticat$3 and (reduc$3 or shoten$3) and button and @ad<"20000804"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 10:19
S5	328	S4 and distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 09:48
S6	115	S5 and distance same (short$3 or reduc$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 10:19
S7	568	S4 not S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 10:20
S8	21	S7 and (reduc$3 or shorten$3) near range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 10:23
S9	21	S7 and (reduc$3 or shorten$3) near (range or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 10:21
S10	375	S7 not S9 and range	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 11:38
S11	0	GB2342010A.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 11:38

S12	0	2342010A.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 11:39
S13	6	cotton.in. and motorola.asn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:01
S14	2	"0691775".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:02
S15	0	EP0691775.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:02
S16	0	"AT&T.asn"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:02
S17	2	"5592533".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:05
S18	0	"050252097".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:05
S19	0	"50252097".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:06

S20	0	JP050252097.pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:06
S21	2	"5911120".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:06
S22	360	S2 and authenticat$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 12:15
S23	697	455/410.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:07
S24	1127	455/411.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:07
S25	684	S24 and @ad<"20000804"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:08
S26	369	S25 and (power or range or distance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:19
S27	688	455/435.1.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:19

S28	305	S27 and @ad<"20000804"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 14:55
S29	2	"5898386".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:24
S30	2	"5802467".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 13:25
S31	2	"5463659".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:19
S32	2	"5097500".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 14:21
S33	2	"5878344".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 14:51
S34	2	"5131038".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 14:52
S35	6	reception adj sensitivity and @ad<"20000804" and power and authenticat$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 14:55

S36	2	"5463659".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/10 16:22
S37	18	(713/176.ccls. or 455/410.ccls. or 455/411.ccls. or 455/435.1.ccls.) and @ad<"20000804" and @pd>"20050110"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/05/11 19:28
S38	2	"5463659".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:26
S39	1	S38 and "5"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 10:17
S40	1	S39 and portable with base	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 10:17
S43	221	(registrat$3 or authenticat$3) with (reduc$3 or shorten$3) with (power or (cover$3 with area$2) or distance) and @ad<"20000804"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:21
S44	83	(registrat$3 or authenticat$3) with (reduc$3 or shorten$3) near2 (power or (cover$3 with area$2) or distance) and @ad<"20000804"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 12:22
S45	19	(registrat$3 or authenticat$3) with (reduc$3 or shorten$3) near2 (power or (cover$3 with area$2) or distance) same (transmit$4 or receiv$3 or reception) and @ad<"20000804"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/09 15:19

| S46 | 1 | S38 and user | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB | OR | OFF | 2005/08/09 12:26 |